



UNITRUNK


Total Cable Management Solutions

SECTION 3

LIGHTING TRUNKING SYSTEMS

Unitrunk Lighting Trunking is manufactured from galvanised sheet steel to BS EN 10346:2009, giving maximum protection from corrosion and excellent earth continuity.

Standard Cable Trunking fittings can be used with Lighting Trunking, which enables the two types to be easily interconnected thus simplifying installation and wiring.



Lighting Trunking

| Ref. | Length |
|-------------------|--------|
| LT223 50 x 50mm | 3m |
| LT223.5 50 x 50mm | 3.5m |
| LT224.5 50 x 50mm | 4.5m |
| LT226 50 x 50mm | 6m |


(Other sizes available on request)

ACCREDITED TO THE FOLLOWING STANDARDS



LUL ACCREDITATION ID:

1816





Long Coupling

Ref.LCL22 50mm x 50mm
Ref.LCL33 75mm x 75mm




Hanger Bracket

Ref.HBL(x)

| Code | H | W | X | X |
|------|-----|-----|----|----|
| 22 | 85 | 55 | 10 | 20 |
| 33 | 135 | 85 | 10 | 20 |
| 44 | 165 | 115 | 10 | 20 |
| 66 | 245 | 165 | 10 | 20 |

Other sizes available on request.




Fitting Suspension

Ref.FSL22 50mm x 50mm
Ref.FSL33 75mm x 75mm

| Code | X | Y |
|------|----|----|
| 22 | 62 | 55 |
| 33 | 82 | 85 |


With Brass Bush and Steel Lock Nuts.



Hanger Bracket (with Swing Bar)

Ref.HBL22SP(x) 50mm x 50mm

| Code | W | H | X | X |
|------|----|----|----|----|
| 22 | 55 | 85 | 10 | 20 |



Galvanised Snap-In Lid

Ref.GCL2 50mm x 50mm

Supplied in 2 Metre Lengths.



Galvanised Steel Lid

Ref.GSL2 50mm

Ref.GSL3 75mm

Supplied in 3 Metre Lengths.



Klik Lid Section

Ref.KLS22


Lid Only.



Blank End

Ref.BEL22 50mm x 50mm

Ref.BEL33 75mm x 75mm



White Plastic Snap-in Lid

Ref.WPL22 50mm

Ref.WPL33 75mm


Supplied in 3 Metre Lengths.



Beam Clamp A

Ref.BCA22 50mm x 50mm

| Code | X | Y |
|------|----|----|
| 22 | 90 | 60 |




Window Beam Clamp

Ref.WBC22 50mm x 50mm

| Code | X | Y | W |
|------|----|-----|----|
| 22 | 90 | 103 | 50 |

C/W M10 x 40 CPB (Bolt).





We're always making

CONTINUED INVESTMENT

We have just installed a brand new automated folding cell. Allowing us to be more versatile, faster and more efficient - meaning that any of your trunking supply chain issues are solved faster than ever before.

WE GUARANTEE

- An even faster service
- The same great quality
- The same high safety standards
- A wider range of products
- Added flexibility

With two factories and seven depots in the UK and Ireland, we work around the clock, and we offer an outstanding distribution and delivery service.



* In accordance with stock availability.
** Standard delivery terms are 48 hours from receipt of order.



CODE GUIDE

STEP 1 : CHOOSE PRODUCT FINISH



PRE-GALVANISED



STAINLESS STEEL



POWDER COATED

STEP 2: CHOOSE PRODUCT

| CODE | PRODUCT NAME |
|-------------|--|
| LT | Lighting Trunking (3/3.5/4.5/6m lengths) |
| GSL | Galvanised Steel lid (Width Only) |
| TC | Trunking Coupling |
| DF | Dividing Fillet (loose) (Height Only) |
| GTB | Gusset Bend (Top Lid) |
| GIB | Gusset Bend (Inside Lid) |
| GOB | Gusset Bend (Outside Lid) |
| STE | Sharp Elbow (Top Lid) |
| SIE | Sharp Elbow (Inside Lid) |
| SOE | Sharp Elbow (Outside Lid) |
| GTT | Gusset Tee (Top lid) |
| GIT | Gusset Tee (Inside Lid) |
| GOT | Gusset Tee (Outside Lid) |
| STT | Sharp Tee (Top Lid) |
| SIT | Sharp Tee (Inside Lid) |
| SOT | Sharp Tee (Outside Lid) |
| ITB | Intersection Box |
| TE | 45° Elbow (Top Lid) |
| IE | 45° Elbow (Inside Lid) |
| OE | 45° Elbow (Outside Lid) |
| RE | Reducer |
| FF | Flared Flange |
| BE | Blank End |
| FB | Fire Barrier Clip |
| LCS | Lid Clips (Strap and Stud) |
| FC | Flanged Coupling |
| CS | Cable Support |
| CES | Earth Link (Copper) x 10 |
| TCES | Earth Link (Tinned Copper) x 10 |
| CR | Cable Retainer Strap x 10 |
| STLI | Socket Outlet (Single) |
| STL2 | Socket Outlet (Double) |
| PES | PVC Edging Strip - per metre |

STEP 3: CHOOSE SIZE

| WIDTH | HEIGHT | SIZE CODE | X2 | X3 | X4 |
|-------|--------|-----------|----|----|----|
| 50 | 50 | 22 | ✓ | | |
| 75 | 50 | 32 | ✓ | | |
| 75 | 75 | 33 | ✓ | | |

STEP 4: COMPARTMENTS

NO OF COMPARTMENTS POSSIBLE

STEP 5: GAUGE

Gauges conform to latest specifications. For specialist requirements a range of gauges are available on request.

Need something special or can't find what you're looking for?

If you need specialist or bespoke products or you can't find the product specification you need, just call one of our regional offices or visit our website.

email: bespoke@unitrunk.co.uk



Standard Trunking

Multi Compartment Trunking

Lighting Trunking

Uniklip Cable Tray

Speedway Cable Ladder

Cable Basket Systems

Channel & Support

Floor Trunking

Bench Outlet & Perimeter Trunking

Steel Conduit (Class 4)

Innovative Design Solutions

Accessories & Supports

Index

UNITRUNK CASE STUDY

PERFECT PARKING



Unitrunk supplied us with bespoke quality products that met our customer's exact requirements.

JD McGeown

Situated in the heart of Belfast City Centre, Victoria Square is an impressive commercial, residential and leisure development. At approx 800,000ft² (75,000m²) and costing £400m it is the biggest and one of the most expensive property developments ever undertaken in Northern Ireland. With over 17.2 million people expected to visit Victoria Square per year placing it in the top ten shopping centres in the UK.

Unitrunk tailored a total cable management solution for the extensive 1,000 space Q-Park multi-storey car park at Victoria Square. This project also involved the innovation of bespoke products namely trunking designed to house specialist lighting and hanger brackets designed to suspend two different types of trunking from one bracket in order to meet the customers exact requirements.



PRODUCTS

- Powder Coated Cable Trunking and Cable Tray
- RIS Basket
- Bespoke trunking to house specialist lighting
- Bespoke Hanger Brackets